INDEX TO VOLUME X.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Abajo laccoliths, 105
Accumulation of oil in the Tampico-Tuxpam region, Mexico, The effect of igneous intrusions on (De Golyer), 651
Adams, G. I., on an occurrence of alunite, 394
Alamo oil field, Mexico, 658
Alaska petroleum field, 699
Alaskite porphyry, 247
Alazan shales, Mexico, 199, 205
Algoman period, 477
Allen, E. T., analyses by, 732
Allen, E. T., and Posnjak, Eugen, *The sulphides of copper (thermal and chemical study)*, 491–535
Altai line of disturbance, 453
Alteration, at Tonopah, Nev., 723, 744; of dacite tuff, 82; of rocks, 73; of volcanics, 78; of wall rock, Kyshtim, 628; of wall rocks, Gilpin Co., Colo., 271
Aluminum Company of America, 31
Aluminum hydrates, formation by weathering, 52
Alunite, association with pyrophyllite, 393
Alunite and pyrophyllite in Triassic and Jurassic volcanics at Kyuquot, B. C. (Clapp), 70
Alunite rocks, 77
Alunitization, 70, 86
American Bauxite Company, 28
Americansky copper ore body, Kyshtim, 602, 615, 621
Analyses (*see* Chemical analyses)
Ancient sedimentary iron ores of British India (Weld), 435
Andesite, chemical analyses of, 731; Tonopah, Nev., 714
Apatite ores, 305
Apically-truncated stocks, 103; commercial importance, 104; mineralization of, 112
Appalachian petroleum field, 696
Archean of Uppland, Sweden, 302
Argall, Philip, on occurrence of siderite, 19
Argentiferous galena ores, On the occurrence of silver in (Nissen and Hoyt), 172
Argentite, 172, 377
Arnold, Ralph, *The petroleum resources of the United States*, 695
Assay cave deposit, 189
Auriferous veins, Klamath Mountains, 243
Autobrecciation, 748
Azurite, 641

Bäckström, H., on Lapland iron ores, 318
Bacteria, sulphate-reducing, 562
Bacterial reduction theory of origin of sulphur, 561
Bacterium hydrosulfureum ponticum, 566
Bacterium mycoides, 567
Badampahar iron deposit, 449
Baikal Lake cleft, 455
Baldacci, L., on geology of Sicily, 548; on origin of sulphur deposits, 560
Barakar iron ores, 435
Barite, association with copper, 149
Baritic sand, Kyshtim, 608; chemical analysis, 610
Barr, W. M., and Buchanan, R. E., on sulphate-reducing bacteria, 567
Basally-truncated stocks, 103
Basalt intrusions, Mexico, 209
Bastin, E. S., *Ores of Gilpin County, Colorado*, 262–291; on intergrowths, 470
Batholiths, Klamath Mountains, 242
Battle Mountain district, Colo., location, 1
Bauxite, porosity, 47
Bauxite deposits of Arkansas, Occurrence and origin of (Mead), 28
Bauxite ore, chemical characteristics, 40; mineralogical characteristics, 41; physical characteristics, 37
Bayley, W. S., review by, 680
Bechamp, A., on formation of sulphur, 545

INDEX TO VOLUME X.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Abajo laccoliths, 105
Accumulation of oil in the Tampico-Tuxpam region, Mexico, The effect of igneous intrusions on (De Golyer), 651
Adams, G. I., on an occurrence of alunite, 394
Alamo oil field, Mexico, 658
Alaska petroleum field, 699
Alaskite porphyry, 247
Alazan shales, Mexico, 199, 205
Algoman period, 477
Allen, E. T., analyses by, 732
Allen, E. T., and Posnjak, Eugen, *The sulphides of copper (thermal and chemical study)*, 491–535
Altai line of disturbance, 453
Alteration, at Tonopah, Nev., 723, 744; of dacite tuff, 82; of rocks, 73; of volcanics, 78; of wall rock, Kyshtim, 628; of wall rocks, Gilpin Co., Colo., 271
Aluminum Company of America, 31
Aluminum hydrates, formation by weathering, 52
Alunite, association with pyrophyllite, 393
Alunite and pyrophyllite in Triassic and Jurassic volcanics at Kyuquot, B. C. (Clapp), 70
Alunite rocks, 77
Alunitization, 70, 86
American Bauxite Company, 28
Americansky copper ore body, Kyshtim, 602, 615, 621
Analyses (*see* Chemical analyses)
Ancient sedimentary iron ores of British India (Weld), 435
Andesite, chemical analyses of, 731; Tonopah, Nev., 714
Apatite ores, 305
Apically-truncated stocks, 103; commercial importance, 104; mineralization of, 112
Appalachian petroleum field, 696
Archean of Uppland, Sweden, 302
Argall, Philip, on occurrence of siderite, 19
Argentiferous galena ores, On the occurrence of silver in (Nissen and Hoyt), 172
Argentite, 172, 377
Arnold, Ralph, *The petroleum resources of the United States*, 695
Assay cave deposit, 189
Auriferous veins, Klamath Mountains, 243
Autobrecciation, 748
Azurite, 641

Bäckström, H., on Lapland iron ores, 318
Bacteria, sulphate-reducing, 562
Bacterial reduction theory of origin of sulphur, 561
Bacterium hydrosulfureum ponticum, 566
Bacterium mycoides, 567
Badampahar iron deposit, 449
Baikal Lake cleft, 455
Baldacci, L., on geology of Sicily, 548; on origin of sulphur deposits, 560
Barakar iron ores, 435
Barite, association with copper, 149
Baritic sand, Kyshtim, 608; chemical analysis, 610
Barr, W. M., and Buchanan, R. E., on sulphate-reducing bacteria, 567
Basally-truncated stocks, 103
Basalt intrusions, Mexico, 209
Bastin, E. S., *Ores of Gilpin County, Colorado*, 262–291; on intergrowths, 470
Batholiths, Klamath Mountains, 242
Battle Mountain district, Colo., location, 1
Bauxite, porosity, 47
Bauxite deposits of Arkansas, Occurrence and origin of (Mead), 28
Bauxite ore, chemical characteristics, 40; mineralogical characteristics, 41; physical characteristics, 37
Bayley, W. S., review by, 680
Bechamp, A., on formation of sulphur, 545

Beck, R., and Weed, W. H., on nodules containing copper and pyrite, 145
Becker, G. F., on the Comstock lode, 388
Beggiatoa, 562
Belden mine, 19
Belts of intrusive stocks in Utah, 106
Beyerinck, W. M., on sulphate-reducing bacteria, 562
Bibliography, Mexican oil fields, 223
Biotite, 334
Black Iron mine, 17
Blast furnace conditions, relation to ore deposits, 675
Bleak House mine, 13
Bog-iron ore theory, 419
Booth, Garret and Blair, chemical analyses by, 722, 732
Bornite, 463
Bose, E., on Cretaceous rocks of Mexico, 653; on geology of Mexico, 200, 202, 204
Bose, P. N., on iron deposits of Raipur, 440
Boutwell, J. M., and Woolsey, L. H., on Park City district, 116
Bowen, N. L., on crystallization of olivine, 343; on crystallization-differentiation in silicate liquids, 117; on formation of crystals in silicate melts, 663
Bragdon formation, 242, 247
Branner, J. C., discovery of bauxite in Arkansas, 29
Breckenridge district, Colo., 11
Breithaupt, on composition of digenite, 511
British India, The ancient sedimentary iron ores of (Weld), 435
British Radium Corporation, 169
Brodrick, C. T., work on Kyshtim Estate, 594
Brougher dacite, 746
Brownlee, R. H., on activity of sulphur, 573
Brun, A., on formation of sulphur, 544
Brusilowsky, E., on sulphate-reducing bacteria, 566
Bryant bauxite district, 28
Buckley, E. R., on heating tests of building stones, 349
Buck's nickel mine, Connecticut, 331
Buehler, H. A., and Gottschalk, V. A., analyses by, 124
Building stones, 191; book on, review of, 395
Bureau of Soils, work of, 293
Burgess, J. A., on geology of Tonopah, Nev., 718
Butler, B. S., *Relation of ore deposits to different types of intrusive bodies in Utah*, 101–122
Butler, B. S., and Gale, H. S., on alunite, 70, 87
Butte, Mont., copper ores, 463

Calcium sulphate, reduction by bacteria, 564
California petroleum field, 698
Calorific value of pyrite, 157
Cambrian, Red Cliff district, Colo., 5
Campbell, M. R., review by, 478
Campbell, William, and Knight, C. W., on the microstructure of nickeliferous pyrrhotites, 338
Carbonates, effect on silver solutions, 372
Carboniferous, Red Cliff district, 6
Cardenas formation, Mexico, 199
Caribou, Colo., stock rocks, 279
Carmenite, 511
Carnotite, 165
Casiano oil field, Mexico, 215
Catlett, Charles, on origin of Oriskany iron ores, 415
Cave deposit, Battle Mountain, Nevada, 186
Certain mineral occurrences in the Worthington mine, Sudbury, Ontario, and their significance (Walker), 536
Chalcedony, 233
Chalcocite, 463, 641, 665; formation, melting temperature, and specific gravity, 493; pseudomorphous after wood, 642; specific gravity, 496; synthesis of, 151; transformation to bornite, 467; transformation into covellite, 531; natural, composition, 507
Chalcocite nodule, section, 142
Chalcocite ore from Butte, Mont., 463
Chalcocite zone, 139
Chalcocitization, On temperatures that obtain in zones of (Emmons), 151
Chalcopyrite, 335
Champion mine, 15
Chance, H. M., on origin of Oriskany iron ores, 414
Chanda district iron ores, 438, 440
Chapapote, 651
Chemical analyses—andesitic rocks, Tonopah, Nev., 721; baritic sand, 610; bauxite, 48; cave deposit, 188;

chalcocite nodules, Avoca area, Texas, 642; chalcocite pseudomorph after wood, 642; clay in Avoca area, Texas, 642; copper ore, Kyshtim, 614, 616; covellite, 529; granodiorite, 108, 110; granodiorite porphyry, 106; iron ore, India, 444, 449; monzonite, 108; monzonite porphyry, 106; nepheline basalt, 583; pentlandite, 539; pyrite, 541; quartz diorite, 108; quartz monzonite, 110; quartzite, Soymonofsk Valley, 598; rocks from Caribou, Colo., 279; sandbergerite, 619; schist, 630; sulphide ore, primary, Kyshtim, 612; tennantite, 619; Tonopah, Nev., rocks, 731; waters from mines of sulphide ores, 126
Chlorite, 58
Chlorite schist, 601; analysis, 630
Chrysogenetic epoch, 476
Clapp, C. H., *Alunite and pyrophyllite in Triassic and Jurassic volcanics at Kyuquot Sound, British Columbia*, 70–88.
Clapp, F. G., on oil associated with quaquaversal structure, 652
Clark, J. D., on enrichment of copper sulphide ore, 153
Clarke, F. W., on cubic expansion of quartz, 365
Classification, pre-Cambrian rocks, Canada, 476
Clay, literature on, 689; mineralogical constituents, 292
Clays, of Minnesota, 483; of Permian of Texas, 646; open-textured, in tropical regions, 52
Clayton Peak stock, 108
Clear Fork division, Texas, 637; copper deposits of, 640
Clevenger, G. H., discussion by, 770
Clinton formation, 403
Coal, formation of, 478; literature on, 687
Coal resources of Rhodesia, 478
Cobalt ores, occurrence of mercury in, 770
Cobriza contact zone, 60
Cobriza mine, 61
Coleman, A. P., discussion by, 390
Collins, J. H., on the occurrence of pitchblende, 167, 170
Columnar sections, Red Cliff district, Colo., 4; in Virginia, 402
Composite ores, Gilpin Co., Colo., 270
Composition of mineralizing solutions, 289
Composition of waters in mines of sulphide ores (Hodge), 123
Concretions, 148
Connecticut Nickel Company's mine, 331
Contact metamorphic ore deposits (Prescott), 55
Contact metamorphic zones, 60
Contact metamorphism, Utah, 112
Contour map, Healdton oil pool, Okla., 424; Wheeler oil field, Oklahoma, 428
Cooke, H. C., on activity of sulphur, 573; on enrichment of silver ores, 369; on solvent action on silver, 608
Copley meta-andesite, 241
Copper, association with barite, 149; association with clay, in Texas, 646; recent literature on, 486, 684
Copper, The sulphides of (Posnjak, Allen, and Merwin), 491
Copper clay beds of Texas Permian, arrangement, 649
Copper deposits, The pyritic, of Kyshtim, Russia (Stickney), 593
Copper deposits in the "red beds" of southwestern Oklahoma (Fath), 140
Copper deposits in the "Red Beds" of Texas (Richard), 634
Copper enrichment, 286
Copper ores, Gilpin Co., Colo., 276
Copper production, Kyshtim Corporation, 598
Copper sulphide, variation in composition, 497
Copper sulphide impregnation of firebrick, 664
Copper sulphides, secondary, Tintic district, 236; specific gravity, 505
Copper Queen contact metamorphic zone, 60
Cornu, F., on alteration in rocks, 93
Cortlandt series, 330
Corundum, literature on, 689
Coste, E., on volcanic origin of oil, 652
Covellite, chemical analyses, 529; formation, 527; microscopic characteristics, 529; precipitation of silver by, 580; solution in chalcocite, 506; specific gravity, 529
Cracks in heated granite, 358
Crane, G. W., on the iron ores of Missouri, 325
Cretaceous in Mexico, 199
Crystallization of magmas, 340
Crystallographic intergrowths, The

origin and occurrence of certain (Segall), 462
Cummins, W. F., on geology of Mexico, 203; work in Texas, 634
Cupric sulphide, formation, 527; physical properties, 528; solubility in cuprous sulphide, 506; thermal behavior, 530
Cuprified wood, 145
Cuprous sulphide, crystallographic relations of the isometric and orthorhombic forms, 524; crystals, formation, 520; etch-cleavage, 524; formation, melting temperature, and specific gravity, 493; formed from solutions, 521; inversion by the thermal method, 513, 518; isometric, 513; orthorhombic, 513
Cuprous-cupric sulphide, solid solutions, 509
Curve method of computing petroleum supply, 707
Curves showing strength of granite, 356
Cutting, H. A., on heating tests of building stones, 349

Dacite tuff, alteration, 80, 82
Daly, R. A., discussion by, 471
Dana, J. D., on carmenite, 511; on pseudomorphs of silver, 377; on uraninite, 162
Dana's System of Mineralogy, Third appendix to the sixth edition, review of, 774
Darton, N. H., on origin of Oriskany iron ores, 415
Davis, N. B., *Metal oxide and sulphide impregnation of fire-brick*, 663–678
Day, D. T., on petroleum resources of the United States, 695
De Golyer, E., *The effect of igneous intrusions on the accumulation of oil in the Tampico-Tuxpam region, Mexico*, 651–662; on oil development in Mexico, 213
Deposition, zones of, in Tintic district, 228
Depth of oil wells, relation to production, 703
Development of Mexican oil fields, 212
Devonian formations, Virginia, 403
Dharwars beds, 435, 439, 445
Dhullee iron deposits, 441
Dhullee-Rajara iron ores, 438, 440, 444
Diagrams — chemical relations of stock rocks near Caribou, Colo., 280; composition of mine waters, 135; gradation from syenite to bauxite, 48; oxides in stocks of Park City-Little Cottonwood-Oquirrh Range zone, 109; showing alteration of dacite tuff, 80; weight of radicles in acid, neutral, and alkaline waters, 138
Dickson, C. W., on composition of pentlandite, 539
Differentiation of magmas, 114
Digenite, 511
Dikes, 600
Dip of strata bordering volcanic plugs, 659
Disaggregation of granite, views as to cause of, 350
Discovery of new oil fields, relation to production, 703
Discussion—
Association of alunite and pyrophyllite (Turner), 393
A cave deposit (Young), 188
Mineralogical constituents of clays (Fry), 292
Note upon the occurrence of mercury in Cobalt ores (Clevenger), 770
Oil in an igneous rock (Udden), 582
Ores, magmatic emanations, and modes of igneous intrusion (Daly), 471
The origin of kaolin (Lindgren), 89–93
Origin of certain ore deposits (Pirsson), 180
Origin of certain ore deposits (Spurr), 472
Pre-Cambrian gold fields (Tyrrell), 475
Precipitants of gold and silver (Elley), H. W., 580
The relation of the quality of oil to deformation (Johnson), 676
Disruption of rock, 350
Distance separating oil wells, relation to production, 703
Divers, E., and Shimidzu, T., on formation of calcium polysulphide, 573; on hydrogen sulphide, 497
Dodge, J. A., on heating tests of building stones, 349
Dolores, Mex., contact zone, 61
Dos Bocas oil field, Mexico, 215, 658
Double Mountain division, Texas, 638; copper deposits of, 642
Downward enrichment, 281

Downward secondary sulphide enrichment, Kyshtim, 625
Drainage changes, Siberia, 457
Drilling methods, Mexican oil fields, 222
Dumble, E. T., on Tertiary deposits of Mexico, 204, 207
Dynamics of intrusion, Tonopah, Nev., 735

Eagle River Canyon, view of, 20
Eagle River porphyry, 9
Earth's increment of heat, 154
East Coast Oil Company, 217
Ebano oil district, Mex., 213
Eckel, E. C., on iron ores of Virginia, 400
Economic geology, Recent literature on (*see* Recent literature, etc.)
Eddingfield, F. T., on deposition of gold by calcite, 260
"Edge" water in oil wells, 705
Edwards, M. G., discussion of paper by, 292; review by, 483
Effect of igneous intrusions on the accumulation of oil in the Tampico-Tuxpam region, Mexico (De Golyer), 651
Ekströmsberg iron ore deposit, 318
El Abra limestone, Mexico, 199
El Aguila Oil Company, 217
Eldorado mine, 256
Electra oil fields, Texas, 423
Elley, H. W., discussion by, 580
Emmons, S. F., on limestones of Red Cliff district, 6; on ore deposits of Cobalt district, 387; on Red Cliff ore deposits, 21; on secondary enrichment, 368
Emmons, S. F., and Irving, J. D., on Leadville ore deposits, 21
Emmons, W. H., *On temperatures that obtain in zones of chalcocitization*, 151–160; on alunite, 86; on deposition of gold by calcite, 260; on depth of enrichment, 386; on the enrichment of sulphide ores, 143
Emmons, W. H., and Calkins, F. C., on ore deposits of Phillipsburg quadrangle, 380, 388
Emmons, W. H., and Harrington, G. L., on mine waters, 133, 155
Enrichment, copper ores, Kyshtim, 625; downward, 281
Enrichment, Mineralization and, in the Tintic district (Lindgren), 225
Enrichment of silver ores, Experiments in the (Ravicz), 368
Epidote schist, analysis, 630
Escondido beds, 205
Etch-cleavage of cuprous sulphide, 524
Expansion in granite, 358
Experiments in the enrichment of silver ores (Ravicz), 368
Experiments on silver minerals with alkaline carbonates, 371
Extent of petroleum fields of the United States, 695

Factors governing production of petroleum, 700
Fath, A. E., *Copper deposits in the "red beds" of southwestern Oklahoma*, 140–150
Faulting at Tonopah, Nev., 714, 766
Fayalite, 58
Ferguson, Henry G., *Pocket deposits of the Klamath Mountains, California*, 241–261
Ferguson, H. G., and Bateman, A. M., on occurrence of tin deposits, 121
Fibroferrite, 18
Finlayson, A. M., on silver in galena, 172
Fire-brick, Metal oxide and sulphide impregnation of (Davis), 663
Fissure deposits, 112
Fissure veins, 11
Fissures, Red Cliff district, Colo., 5
Five Pines mine, 252
Flat River, Mo., ore deposits, 472
Fohs, F. J., on the Wheeler oil pool, 429
Folding, Mexican oil regions, 657
Foraminiferous limestone, Sicily, 550
Ford, W. E., review of book by, 774
Foslie, S., on titaniferous iron ore, 322
Fourch Mountain district, 28
Fry, W. H., discussion by, 292
Fuels, recent literature on, 487, 687
Furbero oil district, Mexico, 215, 653

Gabbro, analysis, 279
Galena, intergrowth with tetrahedrite, 469
Galena ores, argentiferous, On the occurrence of silver in (Nissen and Hoyt), 172
Galena-sphalerite ores, Gilpin Co., Colo., 269
Gardner, James H., *The oil pools of southern Oklahoma and northern Texas*, 422–434

Garfias, V. R., *The oil region of northeastern Mexico*, 195–224
Geijer, Per, *Some problems in iron ore geology in Sweden and in America*, 299–329; on iron ores of Sweden, 328
Geitner, C., on formation of sulphur, 544
Gellivare iron deposits, 318
Genesis—copper ores, Kyshtim, 619; iron ores, India, 451; Oriskany iron ores, 413; primary ores, Gilpin Co., Colo., 286; Red Cliff ore deposits, 20, 26 (*see also* Origin)
Geologic history, of Oriskany belt, 407; of Red Cliff district, Colo., 10
Geologic maps—Archean of Uppland, Sweden, 302; Gurumaishini Hill, 447; Koosumkussa Basin, India, 442; Van Ness Gulch meta-andesite area, 252; Weaverville quadrangle, Cal., 242; Worthington mine, Sudsbury, Ont., 537 (*see also*, Maps)
Geology, Arkansas bauxite deposits, 31; Central City quadrangle, 263; Cotton Co., Okla., 141; Gilpin Co., Colo., 263; Gurumaishini Hill, 447; Koosumkussa Basin, 441; Kyuquot Sound region, Vancouver Island, 72; Mourbhanj State, 445; Mexican oil region, 198; Permian in Texas, 635; Red Cliff district, Colo., 2; Soymonofsk Valley, 598; sulphur deposits of Sicily, 548; textbook of (Park), review of, 96; Tintic district, Utah, 226; Weaverville quadrangle, Cal., 241
Geology and ore-deposition at Tonopah, Nevada (Spurr), 713
Geology and ore deposits of Red Cliff, Colo. (Means), 1
George, R. D., and Crawford, R. D., on tungsten ores of Colorado, 275
Gibbsite, 40
Gilbert, C. C., and Pogue, J. E., on intergrowth in copper ores, 462
Gilbert, G. K., on laccoliths, 114; on ore deposits in Utah, 116
Gilman, Colo., location, 1
Gilpin County, Colorado, Ores of (Bastin), 262
Glaciation, Siberia, 461
Glassy trachyte, Tonopah, Nev., 719, 724, 726
Gold, in pocket deposits, Klamath Mountains, 244, 251; in tennantite, 619; Koniukhoff, Russia, 597; recent literature on, 484, 682; secondary deposition, Tintic district, 237
Gold enrichment, Gilpin Co., Colo., 282
Gold fields, pre-Cambrian, 475
Gold-silver ores, Gilpin Co., Colo., 267
Goltsi (balds), 459
Gordon, C. D., work in Texas, 634
Gossan, of copper ores of Kyshtim, 606, 621
Goslings, N., on sulphate-reducing bacteria, 567
Granite, 3; Graniteville, Mo., 351; Knoblick, Mo., 354; Missouri, crushing strength, 355; Missouri, disaggregation, 367; tests on, 348; molecular structure, 362
Granite Range stock, 111
Grannis mine, Connecticut, 331
Granodiorite, analysis, 108, 110
Granodiorite porphyry, 106
Graphs showing compressive strength of granite, 357
Graton, L. C., and Murdoch, J., on sulphide ores of copper, 465
Gregory, J. W., review of book by, 296
Ground-Hog mine, 15
Grouse Range stock, 111
Grout, F. F., experimentation by, 152; on behavior of cold acid sulphate solutions, 136; on enrichment of silver ores, 369
Grout, F. F., and Soper, E. K., review of book by, 483
Gulf Coastal Plain in Mexico, 196
Gulf petroleum field, 697
Gurumaishini iron deposits, 445
Gypsum, reduction by bacteria, 564; Texas, 643
Gypsum-sulphur formation, Sicily, 550

Hager, Dorsey, review of book by, 480
Hahn, on composition of carmenite, 511
Hälleflinta, 302; in America, 303
Halloysite, 43
Halse, Edward, on deep mining in Mexico, 384
Harder, E. C., on iron ores of Virginia, 400, 410, 415
Hatch, F. H., review of work by, 94
Hawley, G. W., analyses by, 123
Hayes, C. W., on bauxite deposits in Arkansas, 29

Healdton oil pool, Oklahoma, 422, 425
Heat, due to oxidation, 155; increment of, in earth, 154
Heating tests, A study of some, and the light they throw on the cause of the disaggregation of granite (Tarr), 348
Heikes, V. C., on metal output of Utah, 103; on production of Tintic district, 225
Helderberg limestone, 403
Hematite, 305
Henry Mountains laccoliths, 105, 114
Henwood, W. J., on pitchblende, 166
Herrman, O., review of book by, 191
Hershey, O. H., on gold deposits of northern California, 258; on silver ores of Wardner district, 387
Hessite, 12
Heumann, on formation of cuprous sulphide, 522
Hibsch, J. E., on alteration of rocks, 93
Hill, R. T., on Cretaceous formations of Mexico, 653
Hillebrand, W. F., analyses by, 106, 123, 125
Hillebrand, W. F., and Penfield, S. L., on natroalunite, 77
Hirschwald, J., review of book by, 395
Historical geology, of Red Cliff district, Colo., 10
History, geologic, of Oriskany belt, 407
Hittorff, on cuprous sulphide, 496
Hobbs, W. H., on Cortlandt series rocks in Connecticut, 330
Hodge, E. T., *The composition of waters in mines of sulphide ores*, 123–139; on the composition of mine waters, 369
Högbom, A. G., on Lapland iron ores, 319
Holden, R. J., on iron ores of Virginia, 400, 404, 410
Holland, T. H., on pre-Paleozoic rocks of Peninsular India, 436
Holmquist, P. J., on Swedish iron ores, 328
Horizontal zones of ore deposition, 228
Hornblende in Prospect Hill rocks, 333
Hornblendite, analysis, 279
Howe, Ernest, *Sulphide-bearing rocks from Litchfield, Conn.*, 330–347
Hoyt, S. L., and Nissen, A. E., *On the occurrence of silver in argentiferous galena ores*, 172–179
Huasteca oil district, Mex., 213, 214
Humphrey, R. L., on heating tests of building stones, 349
Hunt, Walter F., *The origin of the sulphur deposits of Sicily*, 543–579
Hungerford, W. S., on mining of Oriskany ores, 420
Hydrogen sulphide, 497

Ibapah stock, 110
Idaho springs formation, 263
Iddings, J. P., on magmas, 184
Igneous activity, 182; in Mississippi Valley, 185
Igneous intrusions, Mexico, 208; relation to oil in Mexico, 661
Igneous intrusions, The effect of, on the accumulation of oil in the Tampico-Tuxpam region, Mexico (De Golyer), 651
Igneous rocks, Colorado, 264; Mexico, 656
Illinois petroleum field, 696
Ilvaite, 58
Impoverished sulphides, Kyshtim, 611
Inclusions in quartz, 352
Increment of heat of earth, 154
Infracrustal, definition, 301
Intergrowths in ores, 462
Intrusion, dynamics of, 735
Intrusions, effect on accumulation of oil, 209; Klamath Mountains, 242; nepheline syenite, 33; Red Cliff district, Colo., 8
Intrusive bodies, Utah, 103
Inversion temperature of chalcocite, 514
Iron, in Permian of Texas, 647; in transformation of chalcocite to bornite, 466; literature on, 685; occurrence in British India, 435; output in Virginia, 399
Iron Mask mine, 16, 18
Iron Mountain, Mo., ore deposits, 325
Iron ore geology in Sweden and in America, Some problems in (Geijer), 299
Iron ores, Oriskany, 409
Iron ores of British India, The ancient sedimentary (Weld), 435
Iron ores of Virginia, The Oriskany (Weld), 399
Irving, J. D., on silicification in ore deposits, 229
Irving, J. D., and Bancroft, How-

land, on silver deposits near Lake City, Colo., 380
Isometric cuprous sulphide, 513
Ivanoff copper veins, 601
Ivanoff ore body, Kyshtim, 618

Jackson, A. W., on heating tests of building stones, 349
Jasperoid from Gemini mine, Tintic district, 231
Jennings, E. P., analysis by, 279
Johannsen, Albert, review of book by, 95
Johansson, H., on the leptite formation in Sweden, 304
Johnson, J. E., Jr., on origin of Oriskany limonites, 414
Johnson, R. H., discussion by, 676
Johnston, G. S., on solubility of silver carbonate, 371
Jones, J. C., on Barth iron ore deposit, 327
Jones, L. J. W., analysis by, 124
Juan Cassiana oil field, Mexico, 658
Jubbulpore iron deposits, 439
Jungfleisch, E., and Brunel, L., on formation of sulphur, 544

Kaolin, 40; absence in ore deposits, 91; change to bauxite, 51; origin of, 89; synthesis of, 90
Kaolinite, 43
Kaolinization, 92
Keewatin iron-bearing formation, 312
Kemp, J. F., on contact metamorphic deposits, 56; on enrichment of copper deposits, 368; on origin of Oriskany ores, 416; on titaniferous magnetites, 278
Keratophyre, 315
Kiirunavaara iron ore body, 317
Kirghese Steppe region, 455
Klamath Mountains, California, Pocket deposits of the (Ferguson), 241
Klamath Mountains, auriferous veins, 243
Klamath peneplain, 243
Knebeelite, 58
Knopf, Adolph, review by, 586
Knox, H. H., work on Kyshtim Estate, 594
Koenigsberger, J., on temperature in the formation of silicates, 68
Koenigsberger, J., and Müller, W. J., on gelatinous silica, 234
Koniukhoff, gold deposits, 597
Koniukhoff mine, Kyshtim, section, 614, 615
Koosumkussa Basin, 441
Kysh'im, Russia, The pyritic copper deposits of (Stickney), 593
Kyshtim "Datcha," location, 595
Kyuquot Sound, Vancouver Island, 71

Laccolithic bodies, commercial importance, 103
Laccolithic rocks, composition, 106
Laccoliths, 104, 114; mineralization of, 111
La Corona Oil Company, 217
Lane, A. C., on mine water composition, 132
Laney, F. B., on copper ores of Virgilina district, 669; on intergrowths in sulphide ores, 462
Lapland iron district, 313
Larsen, E. S., reviews by, 94, 95; on alunite, 70, 85
La Sal laccoliths, 105
La Salle anticline, 696
Lateritization, 52
Lawson, A. C., on American Huronian rocks, 436; on laccoliths, 104
Lead, recent literature on, 485
Lead and silver sulphides, secondary, Tintic district, 237
Lead sulphide impregnation, 669
Leadville limestone, 4
Leadville ores, origin, 21
Leadville series, 9
Lebedinzeff, A., on hydrogen sulphide in water of Black Sea, 569
Leith, C. K., on recrystallization hypothesis, 59
Leith, C. K., and Harder, E. C., on Iron Springs, Utah, iron deposits, 327; on laccoliths, 105
Lemberg, J., experiments on kaolin, 92
Leptites, 303
Liesegang, R. E., on diffusion rings, 233
Lightfoot, B., review of paper by, 478
Lima-Indiana petroleum field, 696
Limburgite, 583
Lime, in clay beds of Texas, 648
Limestone iron ores, 306
Lincoln porphyry, 9
Lindgren, Waldemar, *Processes of mineralization and enrichment in the Tintic mining district*, 225–240; discussion by, 89; on contact metamorphic deposits, 56; on mine waters, 133; on ore deposits formed near the surface, 87; on silver

ores of Wood River mining district, 387
Litchfield, Conn., Sulphide-bearing rocks from (Howe), 330
Little Cottonwood stocks, 108
Loco gas field, 425
Lofoten Islands iron deposits, 310
Log of Topila wells, 203
Los Naranjos oil field, Mexico, 658
Loughlin, G. F., reviews by, 191, 395
Louis, Henry, on copper nodules, 145
Luossavaara iron ore body, 317
Lyman, B. S., on the geology of Low Moor, Va., 405

Maccalube, 574
McCourt, W. E., on heating tests of building stones, 349
McNab, A. J., on lead smelting, 669
MacNamara vein, Tonopah, Nev., 756
Madill oil pool, 422
Mad Mule mine, 245, 248
Magmas, crystallization, 340
Magmatic differentiation, 114
Magmatic origin, of sulphides, 342; theory of ore deposition, 57
Magmatic segregations, Gilpin Co., Colo., 267
Magnesia, in copper clay beds of Texas, 649
Magnetite peridotite, analysis, 279
Magnetite pyroxenite, analysis, 279
Malachite, 511, 641; disseminated in sandstone, 143
Manual of petrographic methods, 95
Maps—Allegheny Co., Va., 406; central Siberia, 454; eastern Siberia, 456; Healdton oil pool, Okla., 424; Healdton-Petrolia oil district, Okla., 427; Indian Peninsula, 437; intrusive bodies of Utah, 102; Mourbhanj State, showing iron deposits, 446; sulphur mines of Sicily, 547; veins of Central City, Colo., 268; Virginia showing Oriskany iron ore centers, 401 (*see also* Geologic maps).
Marcasite, 144
Marin, Augustin, and Rubio, César, review of report by, 586
Market conditions, Mexican oil, 216
Marmatite, 22
Marmorization, 63
Maroon formation, 4
Maufe, H. B., review of paper by, 478
Mead, W. J., *Occurrence and origin of the bauxite deposits of Arkansas*, 28–54; on geologic short cuts, 79
Means, A. H., *Geology and ore deposits of Red Cliff, Colorado*, 1–27
Medially-truncated stocks, 103; commercial importance, 103; mineralization of, 111
Melville, W. H., analyses by, 125
Mendez shales, Mexico, 199, 204, 653
Mercury, literature on, 686; occurrence in cobalt ores, 770
Mertainen iron ore deposit, 318
Merwin, H. E., *The sulphides of copper (microscopic and crystallographic study)*, 491–535
Merz and Weith, on orthorhombic cuprous sulphide, 522
Metal oxide and sulphide impregnation of fire-brick (Davis), 663
Metallic sulphide type of sulphur, 543
Metallic sulphides, action, 382
Metallic zinc impregnation, 673
Metamorphic ore deposits, contact, Some observations on (Prescott), 55
Metasomatic alteration, 630
Metasomatic replacement, 78
Mexican oil fields, bibliography, 223
Mexican Petroleum Company, Ltd., 216
Microdrawing, of chalcocite nodule, 142; of cupriferous nodule, 144
Microörganisms, reduction of sulphates by, 571
Microphotographs (*see* Photomicrographs)
Microspira æstuarii, 565
Mid-Continent petroleum field, 697
Midway andesite, Tonopah, Nev., 713, 743
Migration of oil, 211
Miller, W. G., on mercury at Cobalt, Ont., 770; on silver deposits of Temiskaming, 386, 387
Mine waters, 369; analyses of, 126; average analyses, 156; classes, 131
Mineral occurrences in the Worthington mine, Sudbury, Ontario, and their significance (Walker), 536
Mineral Range stock, 110
Mineral spring type of sulphur, 544
Mineral veins, Tonopah, Nev., 751
Mineralization, associated with different types of intrusive bodies, 111; relation to vulcanism, 286; Weaverville quadrangle, Cal., 243
Mineralization and enrichment in the Tintic mining district (Lindgren), 225
Mineralizing solutions, composition, 289; regional variations, 287; sequential variations, 287

Minerals, Central City quadrangle, Colo., 290; in clay, 294
Mineville iron ores, 323
Mining of Oriskany ores, 419
Minnesota, clays and shales of, 483
Missouri granites, tests on, 348
Mizpah trachyte, Tonopah, Nev., 719, 720, 723
Mizpah vein, Tonopah, Nev., history and relations, 754
Molecular structure of granite, 362
Montana breccia, Tonopah, Nev., 713, 720, 733
Monzonite, analysis, 108
Monzonite porphyry, analysis of, 106
Moose Mountain, Ont., iron formation, 312
Morris, F. W., discovery of alunite deposits by, 71
Mosquito fault, 10
Mosquito Range, Colo., location, 2
Mottura, S., on geology of Sicily, 548; on origin of sulphur beds, Sicily, 559
Mt. Pernice sulphur deposits, 552
Mourbhanj iron deposits, 438, 444
Mourbhanj State, geology, 445
Mud springs, Sicily, 574
Munn, M. J., on oil in Oklahoma, 433
Murray, J., and Irvine, R., on "blue muds," 568

Nadson, on sulphate-reducing bacteria, 566
Native silver, 376
Natroalunite, 77
Negaunee iron formation, 312
Nelsonite, 328
Nepheline basalt, 583
Nepheline syenite intrusions, 32
New Madrid earthquake, explanation of, 185
News, scientific (*see* Scientic notes and news)
Nickel deposits, Sudbury, origin, 390
Nickel ore, 539
Nishihara, G. S., on reduction of acidity by ore and gangue materials, 370; on sulphide enrichment, 284
Nissen, A. E., and Hoyt, S. L., *On the occurrence of silver in argentiferous galena ores*, 172–179
Nitrate, literature on, 688
Nodules, in sandstone, 142; in shale, 143
Norite, 332, 536
Northrop, J. D., on production of petroleum, 699
Notes and news, Scientific (*see* Scientific notes and news)

Observations on contact metamorphic ore deposits (Prescott), 55
Occurrence and origin of the bauxite deposits of Arkansas (Mead), 28
Occurrence of silver in argentiferous galena ores (Nissen and Hoyt), 172
Oddie rhyolite, 746, 750
Oil, accumulation of, in the Tampico-Tuxpam region, Mexico, The effect of igneous intrusions on (De Golyer), 651
Oil, in an igneous rock, 582; Mexican fields, origin, 211; Mexico, quality, 218; relation to igneous intrusions, 661; transportation, 219; Oklahoma and Texas, 431; quality, relation to deformation, 676; relation of quality to deformation, 676 (*see also* Petroleum)
Oil development, Mexico, 212
Oil geology, 480
Oil piping lines, Mexico, 220
Oil pools of southern Oklahoma and northern Texas (Gardner), 422
Oil region of northeastern Mexico (Garfias), 195
Oil seepages, Mexico, 208; and volcanic plugs, association, 652, 661
Ojos de chapapote, 651
Okampad iron deposit, 449
On temperatures that obtain in zones of chalcocitization (Emmons), 151
On the occurrence of silver in argentiferous galena ores (Nissen and Hoyt), 172
Oölitic structure, origin, 52
Opal, 75
Oquirrh Range stocks, 108
Ordonez, Ezequiel, on the oil fields of Mexico, 659
Ore chimney, at Copper Queen mine, Velardena, Mex., 62; at Dolores mine, Matahuela, Mex., 65
Ore-deposition, Geology and, at Tonopah, Nevada (Spurr), 713
Ore-deposition at Tonopah, Nev., diagram, 741
Ore deposits, Gilpin Co., Colo., 265; Red Cliff district, Colo., 11; Soymonofsk Valley, 600; Tintic district, Utah, 227
Ore deposits, contact metamorphic, Some observations on (Prescott), 55
Ore deposits, Geology and, of Red Cliff, Colo. (Means), 1

Ore deposits, Relation to different types of intrusive bodies in Utah (Butler), 101
Ore formation, pressure and temperature, 288
Ore minerals of Central City quadrangle, Colo., 290
Ores of Gilpin County, Colorado (Bastin), 262
Origin, alunite rocks, 87; bauxite deposits, 44; bauxite in Arkansas, 29; copper deposits in "red beds," 141; copper deposits of Texas Permian, 650; copper ores, Kyshtim, 619; crystallographic intergrowths, 462; gold pocket deposits, Klamath Mountains, 258; gossan of copper ores, Kyshtim, 621, 632; iron ores, India, 451; kaolin, 89; lead and zinc ores, Mississippi Valley, 472; Leadville ores, 21; oil, Mexican fields, 211, 661; oölitic structure, 52; ore deposits at Flat River, Mo., 472; ore deposits, Gilpin Co., Colo., 286; ore deposits of Tintic district, Utah, 225; ores in sedimentary deposits, 180; pisolitic structure, 52; Sudbury nickel deposits, 390; sulphides in magmas, 342; sulphur deposits of Sicily, 543, 558; Swedish iron ores, 307; tungsten ores, Colorado, 275 (*see also* Genesis)
Origin and occurrence of certain crystallographic intergrowths (Segall), 462
Origin of the sulphur deposits of Sicily (Hunt), 543
Origin, Occurrence and, of the bauxite deposits of Arkansas (Mead), 28
Oriskany formation, 403
Oriskany belt of Virginia, 400
Oriskany iron ores of Virginia (Weld), 399
Oriskany ores, mining, 419
Orthorhombic cuprous sulphide, 513
Oxidation, in Tintic district, Utah, 235; of mine waters, 136
Ozark uplift, 697

Pack, R. W., review by, 480
Paige, Sidney, *Recent literature on economic geology*, 484, 682
Painirova iron ore deposit, 318
Palmer, Chase, analyses by, 125; on interpretation of water analyses, 124
Palmer, Chase, and Bastin, E. S., on precipitants of silver, 369
Panuco oil district, Mex., 213, 214
Papagallos shales, Mexico, 199, 204
Paragenesis, copper ore, 618
Park, James, review of book by, 96
Pearce, Richard, on pitchblende, 166, 168
Peneplain, Klamath, 243
Pennsylvania-Mexican Fuel Oil Company, 217
Pennsylvanian rocks in Texas, 636
Penrose, R. A. F., jr., *The pitchblende of Cornwall, England*, 161–171
Pentlandite, 337, 539; chemical analysis, 539
Peridotite, 331
Permian, Oklahoma, 141; Texas, 635
Petrographic methods, manual of (Johannsen), review of, 95
Petroleum, consumption figures, 712; estimated production in United State, 711; estimating future supply, 705; factors governing production, 701; in Cretaceous of Mexico, 201, 203; in Tertiary of Mexico, 208; past and estimated future production, 710; production curve method of computing supply, 707; saturation method of computing supply, 706; table of production, 700; utilization of, 712 (*see also* Oil)
Petroleum resources of the United States (Arnold), 695
Petrolia oil field, Texas, 423
Petrology, textbook of (Hatch), review, 94
Phillips, William, on uranium, 165
Photomicrographs—copper ores, 468; from Butte, Mont., 464; cuprified wood, 146, 149; ore from Mad Mule mine, 251; pisolitic bauxite, 42; quartzite ore deposits, 14; remelted galena, 174; silver ores, 176
Physiography of Permian in Texas, 635
Pickering, on reduction of cuprous sulphide, 494
Pilot Knob iron deposits, 326
Pirsson, L. V., discussion by, 180
Pisolitic structure, origin, 52
Pisolitic texture, 40
Pitchblende of Cornwall, England (Penrose), 161
Plans—ore chimney at Copper Queen mine, Velardena, Mex., 62; ore chimney at Dolores mine, Matahuela, Mex., 65
Platinum, recent literature on, 484
Pocket deposits of the Klamath

Mountains, California (Ferguson), 241
Pockets, formation of, 261
Pogue, J. E., on hälleflinta, 303
Polydymite, 541
Popocatapetl Volcano, 657
Porosity, of bauxite, 47; of reservoir rock, relation to production of petroleum, 702
Porphyry, 8; analyses of, 106; occurrence with ore bodies, 22
Porphyry belt, Colorado, 21
Porter, J. J., on metallurgy of zinc, 674
Posnjak, Eugen, on separation of cuprous and cupric sulphide, 503
Posnjak, Eugen, and Allen, E. T., *The sulphides of copper (thermal and chemical study)*, 491–535.
Potash, literature on, 688
Potash alum in New Mexico, 647
Potassium salts, Catalonia, Spain, 586
Potrero del Llano oil field, Mexico, 658
Potrero oil well, Mexico, 215
Pouget, I., on silver compounds, 378
Practical oil geology (review), 480
Pre-Cambrian gold fields, 475
Pre-Cambrian rocks, Colorado, 263; Canada, classification, 476; Red Cliff district, Colo., 3
Precipitants of gold and silver, 580
Precipitation, of silver, 383; of silver minerals, 375
Prescott, Basil, *Some observations on contact metamorphic ore deposits*, 55–69
Pressure, in relation to production of petroleum, 701
Pressure and temperature of ore formation, 288
Price of oil, relation to production, 702
Problems in iron ore geology in Sweden and in America (Geijer), 299
Processes of mineralization and enrichment in the Tintic mining district (Lindgren), 225
Production, Eagle Co., Colo., 2; of Mexican oil, 217; of petroleum, 699
Production curve method of computing petroleum supply, 707
Proske, O., on zinc muffle, 674
Prospect Hill, Conn., sulphide deposits, 330
Proteus vulgaris, 567
Pseudomorphs of silver, 377
Purington, C. W., *Some topographic features of Siberia*, 453–461
Putrefaction, 570
Pyrite, calorific value, 157
Pyritic copper deposits of Kyshtim, Russia (Stickney), 593
Pyritic ores, Gilpin Co., Colo., 268
Pyrophyllite, Alunite and, in Triassic and Jurassic volcanics at Kyuquot, B. C. (Clapp), 70
Pyrophyllite, association with alunite, 393
Pyrophyllitization, 71
Pyrrhotite, 335, 536; nature of, 512

Quail porphyry, 9
Quality of Mexican oil, 218
Quartz, 352
Quartz-alumina hematite ores, 306
Quartz-alunite rocks, 76
Quartz diorite, analysis, 108
Quartz-keratophyre, 315
Quartz monzonite, analysis, 110, 279
Quartz porphyry, 316
Quartz-pyrophyllite rocks, 74
Quartz-sericite-chlorite rocks, 73
Quartz veins, Kyshtim, 609
Quartz-banded iron ores, 306, 312
Quartzite, 5
Quaternary in Texas, 638
Quicksilver, literature on, 686

Radium, 162, 164
Raffo and Marncini, on colloidal sulphur, 545
Raft River stock, 111
Rank, Anton, on sulphate-reducing bacteria, 567
Ransome, F. L., review by, 296; on alunitization, 70; on Breckenridge district, 11; on intergrowths, 462; on sulphide enrichment, 368, 385
Ravicz, Louis G., *Experiments in the enrichment of silver ores*, 368–389
Ray, J. C., on paragenesis of ore minerals in Butte district, Mont., 465
Reacting value, 124
Read, T. T., on synthesis of chalcocite, 151
Recent literature on economic geology (Paige), 484, 682
Recrystallization theory of contact metamorphic deposits, 56
Red beds, Oklahoma, 426; copper deposits of, 140
Red Cliff, Colo., Geology and ore deposits of (Means), 1
Reduction of sulphates, equations of, 571
Refineries, Mexican oil districts, 221

Regional variations in mineralizing solutions, 287
Relation of ore deposits to different types of intrusive bodies in Utah (Butler), 101
Replacement, in copper ores, 465; influence of wood structure in, 148; ore bodies, 11
Reservoir rocks of petroleum fields, 702
Reviews—
The geology of the northwestern part of the Wankie coal field (Lightfoot); The Wankie colliery and methods of working the coal (Thompson); The coal resources of Rhodesia (Maufe), Campbell, 478
Geology of to-day (Gregory), Ransome, 296
Gesteine für Architektur und Skulptur (Herrman), Loughlin, 191
An introduction to the study of fossils (Shimer), Roundy, 679
Leitsätze für die praktische Beurteilung, zweckmässige Auswahl und Bearbeitung natürlicher Bausteine (Hirschwald), Loughlin, 395
Manual of petrographic methods (Johannsen), Larsen, 95
Minerals and the microscope (Smith), Bayley, 680
Practical oil geology (Hager), Pack, 480
Preliminary report on the clays and shales of Minnesota (Grout and Soper), Edwards, 483
Sales potasicas en Cataluna (Rubio and Marin), Knopf, 586
A textbook of geology (Park), Umpleby, 96
Text-Book of petrology, Vol. I, The petrology of the igneous rocks (Hatch), Larsen, 94
Third appendix to the sixth edition of Dana's System of Mineralogy (Ford), Schaller, 774
Rhodesia, coal resources, 478
Rhyolite, Tonopah, Nev., 716; chemical analyses of, 731
Richard, Louis M., *Copper deposits in the "Red Beds" of Texas*, 634–650
Rickard, T. A., on reduction of silver ores, 370
Ries, H., on composition of clay, 292; on the formation of kaolin, 90
Rigg, Guilbert, on fire-brick impregnated with zinc, 664, 674
River channels, Siberia, 458
Road materials, literature on, 689
Rocky Mountain petroleum field, 698
Rocky Point mine, 15
Rogers, A. F., on chlorite, 58; on enrichment of copper ores, 277; on intergrowths in Butte ores, 462
Romney shale, 403
Rösler, H., on the formation of kaolin, 89
Roundy, P. V., review by, 679
Rubio, César, and Marin, Augustin, review of report by, 586
Ruby silver, secondary character, 381

St. Austell consols mine, Cornwall, 171
Salt, amount in sea water, 575
Sandbergerite, 619
Sandgrass andesite, Tonopah, Nev., 713, 729
Sandstone carrying copper, 143
San Felipe beds, Mexico, 653
San Felipe limestones and shales, Mexico, 199, 202
San Fernando formation, Mexico, 199, 207
Santa Eulalia, Mex., types of ores, 58
Saturation method of computing petroleum supply, 706
Sawatch formation, 4
Sawatch Mountains, 10
Sawatch Range, Colo., location, 2
Schaller, W. T., review by, 774
Schist, chemical analysis, 630; uralite, 599
Schrader, F. C., on alunite, 70, 85
Scientific notes and news, 98, 193, 297, 397, 489, 589, 691
Secondary copper sulphides, Tintic district, 236
Secondary deposition of gold, Tintic district, 237
Secondary enrichment, Kyshtim, 625; of alumina, 50
Secondary lead and silver sulphides, Tintic district, 237
Sections—bauxite occurrences, 32; cave deposit, 187; chalcocite nodule, 142; differentiation in intrusive bodies, 119; Gurumaishini Hill, 448; jasperoid from Eagle and Blue Bell mine, Tintic district, 232; jasperoid from Gemini mine,

Tintic district, 230; Koniukhoff mine, Kyshtim, 614, 615; Koniukhoff vein, 604; Koosumkussa Basin, India, 442; Mad Mule Gulch, 247; Red Cliff district, Colo., 3; Smirnoff mine, Kyshtim, 614; sulphur mine, Castrogiovanni, 550; Tissoff ore body, 594; Tonopah, Nev., 725, 747, 752
Sedimentary iron ores of British India, The ancient (Weld), 435
Seepages of oil, Mexico, 654
Segall, Julius, *The origin and occurrence of certain crystallographic intergrowths*, 462–470
Sequential variations in mineralizing solutions, 287
Sericite, formation of, 92
Serpentine, 599
Seymour grits, Texas, 638
Shannon, E. V., on secondary enrichment, 383
Shell breccia, Sicily, 549
Shimer, H. W., review of book by, 679
Shrinkage hypothesis, 66
Shumard, G. C., work in Texas, 634
Siberia, central, map of, 454; eastern, map, 456
Siberia, Some topographic features of (Purington), 453
Siderite, 19, 43
Siebert tuffs, 746
Sierra de Otontopec, 197
Silicification, second stage, 233; Tintic district, 229; explanation, 233
Silurian formations, Virginia, 403
Silver, formation of the double salts of, 378; precipitation of, 383; precipitation by covellite, 580; recent literature on, 485, 682
Silver, metallic, precipitation of, 375
Silver, native, 376
Silver, ruby, secondary character, 381
Silver in argentiferous galena ores, On the occurrence of (Nissen and Hoyt), 172
Silver enrichment, Gilpin Co., Colo., 283
Silver minerals, 370; precipitation of, 375
Silver nitrate method of separating cuprous and cupric sulphide, 503
Silver ores, Experiments in the enrichment of (Ravicz), 368
Silver Plume granite, 263
Silver solutions, effect of alkaline sulphides on, 372; effect of carbonates on, 372
Silver sulphides, secondary, Tintic district, 237, 238
Sjögren, Hj., on Scandinavian iron ores, 301
Skarn, 306
Skarn ores, 306
Smirnoff copper veins, 601
Smirnoff mine, Kyshtim, section, 614
Smith, G. O., on duration of California petroleum supply, 711
Smith, H. G., review of book by, 680
Solfatara type of sulphur, 543
Some observations on contact metamorphic ore deposits (Prescott), 55
Some problems in iron ore geology in Sweden and in America (Geijer), 299
Some topographic features of Siberia (Purington), 453
Somermeier, E. E., on calorific value of pyrite, 156
Sommatino sulphur deposits, 554
South Terras mine, Cornwall, 169
Soymonofsk Valley, copper deposits, 597; geology, 598
Spencer, A. C., on conditions of ore deposition, 120
Spirillum desulfuricans, 562
Spurr, J. E., *Geology and ore-deposition at Tonopah, Nevada*, 713–769; discussion by, 472; on ore deposition, 121; at Aspen, Colo., 389; on silver deposits of the Tonopah district, Nev., 380
Spurr, J. E., and Garrey, G. H., on Velardena ore deposits, 60
Spurr, J. E., Garrey, G. H., and Ball, S. H., on secondary silver minerals, 381
Steiger, George, analyses by, 279, 732
Stelzner, A. W., and Bergeat, A., on cupriferous nodules, 145
Stephanite, 378
Stereograms—of Mad Mule Gulch, 246
Stevanovic, on specific gravity of covellite, 528
Stickney, A. W., *The pyritic copper deposits of Kyshtim, Russia*, 593–633
Stocks, 103, 104, 116; formation of, 471
Stockworks, Gilpin Co., Colo., 266
Stokes, H. N., analysis by, 124; on solution, transportation and deposition of copper, silver and gold, 369
Stone, G. C., on metallurgy of zinc, 673

Stoping, by magmas, 471; in magmas, 659
Storage facilities, Mexican oil, 221
Stremme, H., literature on kaolin, 89
Structure—copper ore bodies, Kyshtim Estate, 603; Gilpin Co., Colo., 264; Mexican oil fields, 210; of Oriskany belt, Va., 405; Tintic Range, Utah, 226
Study of some heating tests, and the light they throw on the cause of the disaggregation of granite (Tarr), 348
Stulliken, J. E., analysis by, 585
Stutzer, O., on origin of sulphur deposits, 560; on reduction of sulphates by bacteria, 546
Sudbury copper-nickel ore bodies, 536
Sudbury nickel deposits, origin, 390
Sulphate type of sulphur, 546
Sulphate-reducing bacteria, 562
Sulphide enrichment, 131, 151; Kyshtim, 625
Sulphide impregnation, Metal oxide and, of fire-brick (Davis), 663
Sulphide ore, primary, Kyshtim, 611; chemical analysis, 612
Sulphide ores, The composition of waters in mines of (Hodge), 123
Sulphide-bearing rocks from Litchfield, Conn. (Howe), 330
Sulphides, impoverished, Kyshtim, 611; magmatic origin, 339, 342; metallic, action, 382
Sulphides of copper (Posnjak, Allen, and Merwin), 491
Sulphur deposits, general types, 543
Sulphur deposits of Sicily, The origin of (Hunt), 543
Supracrustal, definition, 301
Surprise mine, 252, 255
Svappavaara iron deposits, 318
Sydvaranger iron district, Norway, 310, 311
Syenite, weathering to bauxite, 44
Syenite porphyry, 315

Tables—alteration of dacite tuff, 82; analyses and specific gravities of chalcocite, 508; analyses of bauxite, 48; analyses of stock rocks from Caribou, Colo., 279; analyses of synthetic cuprous sulphides, 494; analyses of Tonopah, Nev., rocks, 731; composition, etc., of waters from mines of sulphide ores, 126; composition of copper sulphide, 498; composition of crystals formed from ammonium sulphide solutions, 523; copper ore, Kyshtim, analyses, 614; copper zones, relation to ground water, Kyshtim, 606; correlation of the Tertiary and Cretaceous formations of northeastern Mexico, 199; correspondence of Indian iron-bearing series and American Huronian rocks, 436; dissociation of cupric sulphide, 531; formations of Red Cliff district, Colo., 4; inversion of cupric sulphide-chalcocite solutions, 519; inversion of cuprous sulphide, 519; melting and freezing temperatures of cuprous sulphide, 495, 500; melting temperatures of copper sulphide, 501; melts made of lead and silver sulphides, 173; ore minerals of Central City quadrangle, Colo., 290; percentage of radicles in waters of acid, neutral, and alkaline reaction, 137; petroleum, estimated production in United States, 711; petroleum, production by States, 701; petroleum in the United States, past and estimated future production, 710; relation of the melting temperature to the composition of copper sulphide, 502; specific gravities and specific volumes of the copper sulphides, 505; specific gravities of pure natural and synthetic chalcocite, 496; world's production of petroleum, 700
Tamasopo limestone, Mexico, 199, 200, 652
Tamiahua Lagoon, 197
Tampico, Mexico, relation to oil fields, 196
Tampico-Tuxpam region, Mexico, The effect of igneous intrusions on the accumulation of oil in (De Golyer), 651
Tanhuijo oil field, Mexico, 654
Tank steamers, for oil transportation, 221
Tarr, W. A., *A study of some heating tests, and the light they throw on the cause of the disaggregation of granite*, 348–367
Tata Iron & Steel Co., 438
Telluride ores, Gilpin Co., Colo., 271
Temperature, increase downward from surface, 154
Temperature and pressure of ore formation, 288
Temperatures that obtain in zones of chalcocitization (Emmons), 151
Tennantite, 619

Tertiary in Mexico, 199, 206
Tetrahedrite showing intergrowths, 469
Thompson, A. R., review of paper by, 478
Thrall oil field, Texas, 582
Tin, literature on, 684
Tintic mining district, Processes of mineralization and enrichment in the (Lindgren), 225
Tissoff ore body, 602; section of, 594
Titaniferous iron ores, Gilpin Co., Colo., 277
Titanium, 41
Todd, J. E., on fissuring of concretions, 148
Tolman, C. F., on secondary enrichment, 368
Tonopah, Nevada, Geology and ore-deposition at (Spurr), 713
Tonopah rhyolite, 713, 745
Topila wells, log, 203
Topographic features of Siberia, Some (Purington), 453
Tower, G. H., jr., and Smith, G. O., on the Tintic district, 225
Trachyte, 713; chemical analyses of, 731
Transportation of Mexican oil, 219
Tremolite, 60
Trenton limestone as source of petroleum, 696
Trenwith mine, Cornwall, 168
Tripoli deposit, 556
Trubi, 550
Tuffites, 303
Tufi, 574
Tungsten, Tonopah, Nev., 757
Tungsten ores, 275
Tuolluvaara iron ore deposit, 317
Turner, H. W., discussion by, 393; on alunite and pyrophyllite at Tres Cerritos, 393; work on Kyshtim Estate, 594
Turner, H. W., and Rogers, A. F., on ore deposits of magmatic origin, 663
Tuschar stock, 110
Tuxpam formation, Mexico. 199, 207
Tuxpam oil district, Mex., 213, 216
Tyrrell, J. B., discussion by, 475

Udden, J. A., discussion by, 582
Uglow, W. L., on recrystallization theory, 63
Umpleby, J. B., on ore deposition, 121; review by, 96
Ural chain, 453
Ural Mountains, topography, 596
Uralite schist, 599; analysis, 630
Uraninite, 162
Uranium, 162
Uranium ores, 274
Usiglio, J., on precipitation of gypsum, 575

Valley View vein, Tonopah, Nev., 757
Vancouver volcanics, 72
Van Delden, A., on sulphate-reducing bacteria, 562
Van Hise, C. R., on ore deposits of Cobalt district, 387; on secondary enrichment, 368; on solubility of silver and compounds, 371
Variations in mineralizing solutions, 287
Veins, Gilpin Co., Colo., 265; replacement, 227; Tonopah, Nev., 751
Velardena, Mex., contact zone, 60
Vera Cruz, oil region, 196
Vertical zones of ore deposition, Tintic district, 229
Vibrio hydrosulfureus, 566
Villarello, J. D., on geology of Mexico, 201, 202, 204, 207; on the origin of petroleum, 212
Viscosity, relation to production of petroleum, 701
Vogt, J. H. L., on magmatic differentiation, 321; on minerals in slags, 663; on Norwegian iron ores, 310
Volcanic necks, Tonopah, Nev., 746
Volcanic plugs, association with oil seepages in Mexico, 652
Volcanics near Austin, Texas, 583

Walker, T. L., *Certain mineral occurrences in the Worthington mine, Sudbury, Ontario, and their significance*, 536–542
Wally, R. J., on alteration in alunite rocks, 85
Wankie coal field, 478
War Dance mine, 273
Washburne, C. W., on saturation method of computing petroleum supply, 706
Wasjuchnova, on cuprous sulphide, 497
Water, literature on, 689
Water complications of oil fields, 704
Waters in mines of sulphide ores, The composition of (Hodge), 123
Waters-Pierce Oil Company, 217
Weathering, of syenite to bauxite, 44
Weaverville quadrangle, Cal., geology, 241
Weber formation, 4

Weber shale, 6
Weed, W. H., on ore deposits of Elkhorn district, 470; on secondary enrichment, 368
Wegscheider, on reduction of cuprous sulphide, 494
Weld, C. M., *The ancient sedimentary iron ores of British India*, 435–452; *The Oriskany iron ores of Virginia*, 399–421
Wells, R. C., analyses by, 108, 110, 124; experiments by, 152
West End rhyolite, Tonopah, Nev., 713, 716, 737
Wheeler oil pool, 422, 429
Whipsaw claim, 12
White, David, on relations in origin between coal and petroleum, 676
Wichita division, Texas, 637; copper deposits of, 639
Wichita formation, 141; literature on, 141
Williams, J. F., on igneous rocks of Arkansas, 29
Williams, R. H., on St. Austell Consols mine, 171
Wilson, N. E., analysis by, 124
Winchell, H. V., on synthesis of chalcocite, 151
Winogradsky, S., on action of beggiatoa, 562; on sulphur bacteria, 545
Wood, alteration in Flint River valley, 649; replaced by copper ores, 644
Worthington mine, Sudbury, Ontario, Certain mineral occurrences in the and their significance (Walker), 536
Wright, F. E., report on Tonopah rock, 738

Young, G. J., analyses by, 732; discussion by, 188
Yule limestone, 9

Zelinsky, N., on sulphate-reducing bacteria, 566
Zinc, impregnation of fire-brick, 673
Zinc oxide impregnation, 673
Zinc spinel, 674
Zones of deposition in Tintic district, Utah, 228